

.

ADMISSION TAB

| DEMOGRA | PHICS: Per | patient label <i>or</i> |
|--------------|---------------------|-----------------------------|
| Family Nam | e: | |
| | | |
| | h: <u>dd / mm /</u> | |
| Chart Numb | per: | |
| Postal Code | | |
| □ No Fixed A | | |
| • | | EDB): <u>dd / mm / yyyy</u> |
| Language S | Spoken at Ho | ome: (Select One) |
| 🗆 English | | □ Unknown |

HISTORY TAB

| Pre-existing Health Conditions (Outside of Pregnancy): (List All) | | | | | |
|---|--|--|--|--|--|
| Mental Health Concerns: (Select All That Apply) | | | | | |
| □ None □ Anxiety □ Depression | | | | | |
| □ History of Postpartum Depression □ Addiction □ Bipolar | | | | | |
| 🗆 Schizophrenia 🛛 Other 🖓 Unknown | | | | | |
| Domestic/Intimate Partner Violence: (Select One) | | | | | |
| □ No Disclosure □ Disclosure □ Unable to ask | | | | | |
| Obstetrical History: Gravida (G): | | | | | |
| # of Previous Term Pregnancies (T): | | | | | |
| # of Previous Preterm Pregnancies (P): | | | | | |
| # of Previous Abortions (A): | | | | | |
| # of Living Children (L): | | | | | |
| # of Previous Stillbirths (S): | | | | | |
| # of Previous Vaginal Births: | | | | | |
| # of Previous C/S Births: | | | | | |
| # of Previous VBACs: | | | | | |

Parity: Auto calculates



PREGNANCY TAB

| Maternal | Height: | (in, ft & in, cm) | 🗆 Unknown | | |
|-------------------------------|------------------|------------------------------------|------------------------|--|--|
| Pre-pregn | ancy weight: | :(lb/kg) | 🗆 Unknown | | |
| Pre-pregnancy BMI: Calculates | | | | | |
| Number of | | | | | |
| Is the preg | gnant persor | n a gestational carrie | r? (Select One) | | |
| □ Yes | □ No | Unknown | | | |
| Estimated | Date of Birt | h (EDB): <u>dd / mm / y</u> | ууу | | |
| Conceptio | n type: (Sele | ct One) | | | |
| 🗆 Spontan | eous | | | | |
| Intrauter | ine Insemina | ition alone | | | |
| 🗆 Intrauteri | ne Inseminati | on (IUI) with ovulation i | nduction but no IVF | | |
| □ Ovulatio | n induction v | vithout IVF (i.e. Clomid | , FSH) | | |
| | - | ination 🗆 Unknown | | | |
| | ester Visit: (Se | elect One) □Yes □N | lo □Unknown | | |
| Antenatal | | Provider: 🗆 None | | | |
| □ Obstetrio | cian 🗆 Fami | ily Physician 🛛 Midw | ife 🗆 Nurse | | |
| □ Nurse Pr | actitioner (Al | PN/CNS) □ Other | 🗆 Unknown | | |

| Prenatal Education: (Select One) | | | | |
|--|--|--|--|--|
| Yes - In-person prenatal education only | | | | |
| Yes - Online prenatal education only | | | | |
| \square Yes - Combination of in-person and online prenatal education | | | | |
| Yes - Unknown method of education delivery | | | | |
| No - Patient/client did not receive prenatal education | | | | |
| Unknown if patient/client received prenatal education | | | | |
| | | | | |
| Was prenatal genetic screening offered, as indicated on the OPR?: (Select One) | | | | |
| | | | | |
| as indicated on the OPR?: (Select One) | | | | |
| as indicated on the OPR?: (Select One) □ Yes, screening was offered | | | | |
| as indicated on the OPR?: (Select One) Yes, screening was offered No, screening was not offered | | | | |

Folic Acid Use: (Select One)
□ None □ Pre-conception only

□ During pregnancy only

□ Pre-conception and during pregnancy □ Unknown



Intention to Breastfeed: (Select One) □ Yes, intends to exclusively breastfeed □ Yes, intends to combination feed (use breast milk and breast milk substitute) □ No, does not intend to breastfeed □ Unknown, intent not collected □ Mother unsure Smoking at First Trimester Visit: (Select One) □ None □ < 10 cigarettes/day □ 10-20/day □ >20/day □ Amount unknown □ Unknown **Resides with smoker at first trimester visit:** (Select One) □ No □ Unknown Alcohol Exposure in Pregnancy: (Select One) □ None $\Box < 1 \, drink/month$ □1 drink/month □ 2-3 drinks/month □1 drink/week □ More than 1 drink/week □ Episodic excessive drinking (binging) □ Exposure prior to pregnancy confirmed, amount unknown □ Unknown

Cannabis Exposure in Pregnancy: (Select One)

| □ Never | Less than 1 day per month |
|--------------------------|---------------------------|
| □1 day per month | □ 2-3 days per month |
| □ 1-2 days per week | □ 3-4 days per week |
| □ 5-6 days per week | 🗆 Daily |
| □ Some use, but frequenc | y unknown □ Usage unknown |

Drug and Substance Exposure in Pregnancy: (Select All That Apply) □ None □ Amphetamines □ Cocaine □ Gas/Glue □ Hallucinogens □ Opioids □ Other □ Unknown

ANTENATAL EXPOSURE TO MEDICATION:

(Select All That Apply) Done

OTC/Vitamins/Homeopathic: Prenatal Vitamins (including folic acid) Probiotics I Iron Supplements Anti-emetics (OTC) Antihistamines (OTC) Herbal or homeopathic remedies Other over the counter medications

Prescribed Medications:

□ Amphetamines □ Antibiotics (NOT for GBS prophylaxis) □ Anticonvulsants (NOT for preeclampsia)



Anti-emetics Antihistamines Antihypertensives
 Anti-inflammatory Antiretrovirals
 Anti-rheumatic Antiviral Cardiovascular
 Chemotherapeutic Agents
 Gastrointestinal Agents / Proton Pump Inhibitors / H2 blockers
 General anaesthetic Insulin Metformin Opioids

Opioid Agonist Therapy:

Methadone
 Buprenorphine monoproduct (Subutex)
 Buprenorphine – naloxone (Suboxone)
 Slow-release morphine for opioid use disorder

Other Medications:

Psychotropics
 Selective Serotonin Reuptake Inhibitors
 Thyroid medications
 Other prescription
 Unknown prescription or OTC exposure

INFECTION & PREGNANCY: (Select All That Apply)

None
C-Difficile
Chlamydia
Covid-19
Gonorrhea

Group B Streptococcus (bacteriuria)
Hepatitis A
Hepatitis B
Hepatitis C
Herpes Simplex Virus
HIV
HPV
Seasonal Influenza
Syphilis
Trichomonas
Methicillin-resistant staphylococcus aureus (MRSA)
Suspected Chorioamnionitis
Urinary Tract Infection (UTI)
Viruses-other
Other infections

If Yes To Covid Infection:

Date of positive COVID-19 Diagnosis: dd/mm/yyyy

Was the patient hospitalized due to COVID-19 specifically?

□ Yes □ No □ Unknown

Progesterone taken daily for spontaneous preterm birth prevention, any time after 16 weeks gestation:

□ Yes □ No □ Unknown

(Do NOT include if progesterone is used only in first trimester)

ASA (aspirin) taken daily for preeclampsia prevention, any time after 12 weeks' gestation:
□ Yes □ No □ Unknown (Do NOT include if aspirin is used only in first trimester)

BLOOD TYPING AND IMMUNOGLOBULIN

Blood group and type of pregnant individual, ABO/Rh(D):

(Select One) □ Not collected/unknown

□O+ □O- □A+ □A- □B+ □B- □AB+ □AB-

What was the antibody screen result?:

□ Negative □ Positive □ Unknown

For Rh(D) negative patients, was Rh(D) immunoglobulin (RhIG/Rhogam/WinRho) given in pregnancy?:

□ No
□ Yes, 1 dose
□ Yes, 3 or more doses
□ Yes, number of doses unknown
□ Unknown



Date of Rh(D) Immunoglobulin Dose (latest prior to birth): <u>dd/mm/yyyy</u>

DIABETES AND PREGNANCY: (Select One)

None
Gestational - Insulin
Gestational - Insulin Gestational - No Insulin
Gestational - Insulin status unknown
Type 2 Insulin
Type 2 Insulin
Type 2 Insulin Usage Unknown
Declined Testing
Unknown

HYPERTENSIVE DISORDERS OF PREGNANCY: (Select One)

None Gestational Hypertension Preeclampsia
 Pre-existing Hypertension with superimposed preeclampsia
 Eclampsia HELLP syndrome Unknown

COMPLICATIONS OF PREGNANCY, NOT INCLUDING HYPERTENSION OR DIABETES: (Select All That Apply)

Complications of Pregnancy, not including Hypertension or Diabetes: None Unknown

Complications of Pregnancy – Fetal:

□ Anomaly(ies) □ Isoimmunization/Alloimmunization

- □ Intrauterine Growth Restriction (IUGR)
- □ Oligohydramnios □ Polyhydramnios □ Other

Complications of Pregnancy - Maternal:

Anemia unresponsive to therapy
Antepartum bleeding (persistent and unexplained)
Cancer – diagnosed in this pregnancy
Haemotology – Gestational Thrombocytopenia
Hyperemesis Gravidarum (Requiring Hospital Admission)
Liver/Gallbladder – Intrahepatic Cholestasis of Pregnancy
Liver/Gallbladder – Acute Fatty Liver of Pregnancy
Neurology – Epilepsy/Seizures –
Seizure occurred during current pregnancy
Prelabour rupture of membranes (PROM)
Preterm labour
Pulmonary – asthma occurred during current pregnancy
Other

Complications of Pregnancy – Placental:

□ Placenta accreta □ Placenta Increta □ Placenta percreta □ Placenta Previa □ Placental abruption □ Other