

Patient Label Here

Antenatal General Encounter + Midwifery tab

ADMISSION TAB
DEMOGRAPHICS: Per patient label or
Family Name:
Given Name:
Date of Birth: <u>dd / mm /yyyy</u>
Chart Number:
Postal Code:
□ No Fixed Address
Expected Date of Birth (EDB): dd/mm/yyyy
Language Spoken at Home: (Select One)
□ English □ French □ Unknown □ Other (specify):

Pre-existing Health Conditions (Outside of Pregnancy): (List All) Mental Health Concerns: (Select All That Apply) □ None □ Anxiety □ Depression ☐ History of Postpartum Depression ☐ Addiction ☐ Bipolar □ Schizophrenia □ Other □ Unknown **Domestic/Intimate Partner Violence:** (Select One) □ No Disclosure □ Disclosure □ Unable to ask Obstetrical History: Gravida (G): # of Previous Term Pregnancies (T): # of Previous Preterm Pregnancies (P): # of Previous Abortions (A): # of Living Children (L): # of Previous Stillbirths (S):

of Previous Vaginal Births: _____

of Previous C/S Births:

of Previous VBACs:

Parity: Auto calculates

HISTORY TAB



PREGNANCY TAB	Prenatal Education: (Select One)
Maternal Height:(in, ft & in, cm) □ Unknow	vn □ Yes - In-person prenatal education only
Pre-pregnancy weight:(lb/kg) □ Unknow	vn Yes - Online prenatal education only
Pre-pregnancy BMI: Calculates	☐ Yes - Combination of in-person and online prenatal education
	□ Yes - Unknown method of education delivery
Number of Fetuses:	□ No - Patient/client did not receive prenatal education
Is the pregnant person a gestational carrier? (Select C	One) Unknown if patient/client received prenatal education
□ Yes □ No □ Unknown	Was prenatal genetic screening offered, as indicated on the OPR?: (Select One)
Estimated Date of Birth (EDB): dd/mm/yyyy	□ Yes, screening was offered
Conception type: (Select One)	□ No, screening was not offered
□ Spontaneous	□ Counselled and declined screening
□ Intrauterine Insemination alone	□ Unknown if screening was offered – no access to the OPR
\square Intrauterine Insemination (IUI) with ovulation induction bu	it no IVF □ Unknown if screening was offered – other reason
□ Ovulation induction without IVF (i.e. Clomid, FSH)	D
□ IVF □ Vaginal insemination □ Unknown	Prenatal RSV vaccine administered? □ Yes □ No □ Unknown Date of administration: dd / mm / yyyy □ Unknown
First Trimester Visit: (Select One) 🗆 Yes 🗀 No 🗀 Unkr	Prenatal RSV product: Other, specify
Antenatal Health Care Provider: 🗆 None	Folic Acid Use: (Select One) □ None □ Pre-conception only
□ Obstetrician □ Family Physician □ Midwife □ Nurs	se During pregnancy only
□ Nurse Practitioner (APN/CNS) □ Other □ Unknow	wn 🗆 Pre-conception and during pregnancy 🗅 Unknown



Intention to Breastfeed: (Select One)	Cannabis Exposure in Pregnancy: (Select One)
□ Yes, intends to exclusively breastfeed	□ Never □ Less than 1 day per month
☐ Yes, intends to combination feed (use breast milk and breast milk substitute)	□ 1 day per month □ 2–3 days per month □ 1–2 days per week □ 3–4 days per week
□ No, does not intend to breastfeed	□ 5-6 days per week □ Daily
□ Mother unsure □ Unknown, intent not collected	□ Some use, but frequency unknown □ Usage unknown
Smoking at First Trimester Visit: (Select One)	Drug and Substance Exposure in Pregnancy:
□ None □ < 10 cigarettes/day □ 10-20/day	(Select All That Apply) □ None □ Amphetamines
□ >20/day □ Amount unknown □ Unknown	□ Cocaine □ Gas/Glue □ Hallucinogens □ Opioids
Resides with smoker at first trimester visit: (Select One)	□ Other □ Unknown
□ Yes □ No □ Unknown	ANTENATAL EXPOSURE TO MEDICATION:
Alcohol Exposure in Pregnancy: (Select One)	(Select All That Apply) □ None
□ None	OTC/Vitamins/Homeopathic:
□ < 1 drink/month □ 1 drink/month	□ Prenatal Vitamins (including folic acid)
□ 2-3 drinks/month □ 1 drink/week	□ Probiotics □ Iron Supplements
□ More than 1 drink/week	□ Anti-emetics (OTC) □ Antihistamines (OTC)
□ Episodic excessive drinking (binging)	□ Herbal or homeopathic remedies
□ Exposure prior to pregnancy confirmed, amount unknown	□ Other over the counter medications
□ Unknown	Prescribed Medications:
	□ Amphetamines □ Antibiotics (NOT for GBS prophylaxis)
	□ Anticonvulsants (NOT for preeclampsia)



□ Anti-emetics □ Antihistamines □ Antihypertensives	If Yes To Covid Infection:
□ Anti-inflammatory □ Antiretrovirals	Date of positive COVID-19 Diagnosis: dd/mm/yyyy
□ Anti-rheumatic □ Antiviral □ Cardiovascular	Was the patient hospitalized due to COVID-19 specifically?
□ Chemotherapeutic Agents	□ Yes □ No □ Unknown
□ Gastrointestinal Agents / Proton Pump Inhibitors / H2 blockers	Progesterone taken daily for spontaneous preterm birth
□ General anaesthetic □ Insulin □ Metformin □ Opioids	prevention, any time after 16 weeks gestation:
Opioid Agonist Therapy:	□ Yes □ No □ Unknown
□ Methadone □ Buprenorphine monoproduct (Subutex)	(Do NOT include if progesterone is used only in first trimester)
□ Buprenorphine – naloxone (Suboxone)	ASA (aspirin) taken daily for preeclampsia prevention, any
□ Slow-release morphine for opioid use disorder	time after 12 weeks' gestation: Yes No Unknown
Other Medications:	(Do NOT include if aspirin is used only in first trimester)
□ Psychotropics □ Selective Serotonin Reuptake Inhibitors	BLOOD TYPING AND IMMUNOGLOBULIN
□ Thyroid medications □ Other prescription	Blood group and type of pregnant individual, ABO/Rh(D):
□ Unknown prescription or OTC exposure	(Select One) □ Not collected/unknown
INFECTION & PREGNANCY: (Select All That Apply)	□O+ □O- □A+ □A- □B+ □B- □AB+ □AB-
□ None □ C-Difficile □ Chlamydia □ Covid-19 □ Gonorrhea	What was the antibody screen result?:
□ Group B Streptococcus (bacteriuria) □ Hepatitis A	□ Negative □ Positive □ Unknown
□ Hepatitis B □ Hepatitis C □ Herpes Simplex Virus □ HIV □ HPV □ Seasonal Influenza □ Syphilis □ Trichomonas	For Rh(D) negative patients, was Rh(D) immunoglobulin (RhIG/Rhogam/WinRho) given in pregnancy?:
□ Methicillin-resistant staphylococcus aureus (MRSA)	□ No □ Yes, 1 dose □ Yes, 2 doses
□ Suspected Chorioamnionitis □ Urinary Tract Infection (UTI)	□ Yes, 3 or more doses
□ Viruses-other □ Other infections □ Unknown	□ Yes, number of doses unknown □ Unknown



Date of Rh(D) Immunoglobulin Dose	Complications of Pregnancy - Maternal:
(latest prior to birth): dd/mm/yyyy	□ Anemia unresponsive to therapy
DIABETES AND PREGNANCY: (Select One) □ None □ Gestational - Insulin □ Gestational - No Insulin □ Gestational - Insulin status unknown □ Type 1 □ Type 2 Insulin □ Type 2 No Insulin □ Type 2 Insulin Usage Unknown □ Type Unknown □ Declined Testing □ Unknown	□ Antepartum bleeding (persistent and unexplained) □ Cancer – diagnosed in this pregnancy □ Haemotology – Gestational Thrombocytopenia □ Hyperemesis Gravidarum (Requiring Hospital Admission) □ Liver/Gallbladder – Intrahepatic Cholestasis of Pregnancy □ Liver/Gallbladder – Acute Fatty Liver of Pregnancy □ Neurology – Epilepsy/Seizures –
HYPERTENSIVE DISORDERS OF PREGNANCY: (Select One) None Gestational Hypertension Preeclampsia Pre-existing Hypertension with superimposed preeclampsia Eclampsia HELLP syndrome Unknown	Seizure occurred during current pregnancy Prelabour rupture of membranes (PROM) Preterm labour Preterm pre-labour rupture of membranes (PPROM) Pulmonary – asthma occurred during current pregnancy
COMPLICATIONS OF PREGNANCY, NOT INCLUDING HYPERTENSION OR DIABETES: (Select All That Apply) Complications of Pregnancy, not including Hypertension or Diabetes: None Unknown	□ Other Complications of Pregnancy – Placental: □ Placenta accreta □ Placenta Increta □ Placenta percreta □ Placenta Previa □ Placental abruption □ Other
Complications of Pregnancy – Fetal: Anomaly(ies) Isoimmunization/Alloimmunization Intrauterine Growth Restriction (IUGR) Oligohydramnios Polyhydramnios Other	



Prenatal visits other location (eg. shelter, prison):

MIDWIFERT IAD	ADMINISTRATIVE DETAILS Midwifery Booking Date: dd/mm/yyyy
CLINICAL & VISIT SUMMARY	
Did the pregnant person plan for a home birth at any point during pregnancy (from conception to intrapartum)? (Select One)	Pregnancy Outcome: (Select one) □ Pregnancy continued □ Pregnancy loss spontaneous miscarriage □ Pregnancy Loss termination Repeat Ontario midwifery client? □ Yes □ No
PRENATAL VISITS	IF THERE WAS A PREGNANCY LOSS:
# Prenatal visits coordinating MW:	Was post-pregnancy loss care provided? □ Yes □ No
# Prenatal visits all other MW:	If YES, How many post-pregnancy loss visits were provided?
# of visits in which a student was involved:	□1 □2 □3 □4 or more
Total # of Registered Midwives providing antenatal care:	Was the client discharged from midwifery care during pregnancy/after pregnancy loss? ☐ Yes ☐ No
PRENATAL VISITS - LOCATION # Prenatal visits clinic:	Were there any antenatal consultations, transfers of care, or use of hospital/outpatient/emergency services during pregnancy including early labour, prior to active labour?
# Prenatal visits hospital:	□ Yes □ No
# Prenatal visits home:	
# Prenatal visits virtual:	





ANTENATAL CONSULTATION & TRANSFER OF CARE (DURING PREGNANCY INCLUDING EARLY LABOUR, PRIOR TO ACTIVE LABOUR):

FRIOR TO ACTIVE LABOUR).
Antenatal consultation(s) with physician? ☐ Yes ☐ No
If YES, Was rationale for consult only because of hospital/physician protocol, and not because of midwifery judgement or scope of practice? Yes No
Antenatal Transfer of Care: □ Yes □ No
If YES, Was rationale for transfer of care only because of hospital/physician protocol, and not because of midwifery judgement or scope of practice? Yes No
And, Was the transfer of care returned anytime during pregnancy including early labour, prior to active labour? □ Yes □ No
REASON(S) FOR CONSULTATION/TRANSFER OF CARE?
Antenatal outpatient (+ Emergency services)? ☐ Yes ☐ No
Antenatal admission to hospital in pregnancy? Yes No